



**PROTECT TEENS FROM THE DANGERS OF INDOOR TANNING –
SUPPORT LEGISLATION TO PROHIBIT THE USE OF TANNING DEVICES BY MINORS**

Help Educate Your State’s Residents and Protect the Health of its Youth

- Throughout US history, state and federal legislatures have consistently used legislation to educate the public and protect our youth from various health hazards.
- The American Academy of Dermatology Association and the American Academy of Pediatrics, along with the World Health Organization, support policies to prohibit the use of tanning devices by minors under the age of 18.
- Two to three million annual users of indoor tanning facilities are adolescents; nearly 25 percent are 13-19 years old.ⁱ

Indoor Tanning Devices Present a Significant Health Hazard

- Use of tanning devices early in life is linked to increased risk of melanoma later in life.ⁱⁱ
- UV radiation from tanning devices is classified as “carcinogenic to humans.”ⁱⁱⁱ
- Tanning devices have UV radiation levels that *far exceed* what is found in natural sunlight and have a different ratio of UVA to UVB.^{iv}

Indoor Tanning Causes Melanoma and Non-Melanoma Skin Cancers

- A person who has used tanning devices for more than 50 hours, 100 sessions, or 10 or more years is 2.5 to 3 times more likely to develop melanoma than a person who has never tanned indoors.^v
- 76 percent of melanomas were attributable to ever-use (even one session) of a tanning device.^{vi}
- Indoor tanners are 2.5 times more likely to develop squamous cell carcinoma and 1.5 times more likely to develop basal cell carcinoma than non-tanners.^{vii}

The Increase of Skin Cancer Comes at a Very High Cost

- According to the National Cancer Institute, the estimated total direct cost associated with the treatment of melanoma in 2010 was \$2.36 billion.^{viii}

There is No Such Thing As a “Safe” Tan

- A tan is evidence of skin damage; hence, there is no “safe tan.”^{ix}
- Proponents of indoor tanning argue it is a good source of vitamin D. This is a false and misleading claim. Vitamin D is produced in the body through exposure to UVB rays. To minimize burning, modern indoor tanning devices emit predominantly UVA rays, which do not produce vitamin D.^x
- Tanning is addictive. Research has shown that 41 percent of frequent tanners met criteria consistent with a tanning addictive disorder and an additional 33 percent met criteria for problematic tanning behavior.^{xi}

**DESPITE ALL OF THESE SCIENTIFIC FACTS,
THE PUBLIC REMAINS MOSTLY UNAWARE OF THE DANGERS OF TANNING**

Sources:

-
- ⁱ Zeller S, Lazovich D, Forster J, Widome R. Do adolescent indoor tanners exhibit dependency? *J Am Acad Dermatol* 2006;54:589-96.
- ⁱⁱ Geller AC, Colditz G, Oliveria S, Emmons K, Jorgensen C, Aweh GN, et al. Use of sunscreen, sunburning rates, and tanning bed use among more than 10,000 US children and adolescents. *Pediatrics* 2002;109:1009-14.
- ⁱⁱⁱ El Ghissassi F, Baan R, Straif K, Grosse Y, Secretan B, Bouvard V, et al. A review of human carcinogens –part D: radiation. *Lancet Oncol* 2009;10:751-2.
- ^{iv} Gilchrist BA. Sun exposure and vitamin D sufficiency. *Am J Clin Nutr* 2008;88:570-7S.
- ^v Lazovich D, Vogel RI, Berwick M, Weinstock MA, Anderson KE, Warshaw EM. Indoor tanning and risk of melanoma: a case-control study in a highly exposed population. *Cancer Epidemiol Prev* 2010;19:1557-68.
- ^{vi} Cust AE, Armstrong BK, Goumas C, Jenkins MA, Schmid H, Hopper JL, et al. Sunbed use during adolescence and early adulthood is associated with increased risk of early-onset melanoma. *Int J Cancer* Doi: 10.1002/ijc.25576. Published online July 28, 2010.
- ^{vii} Karagas MR, Stannard VA, Mott LA, Slattery MJ, Spencer SK, Weinstock MA. Use of tanning devices and risk of basal cell and squamous cell skin cancers. *J Natl Cancer Inst* 2002;94:224-6.
- ^{viii} "The Cost of Cancer." National Cancer Institute at the National Institutes of Health. 2011. <http://www.cancer.gov/aboutnci/servingpeople/cancer-statistics/costofcancer> (accessed 26 Aug. 2011).
- ^{ix} Schulman JM, Fisher DE. Indoor ultraviolet tanning and skin cancer: health risks and opportunities. *Curr Opin Oncol* 2009;21:144-9.
- ^x Lim HW, James WD, Rigel DS, Maloney ME, Spencer JM, Bhushan R. Adverse effects of ultraviolet radiation from the use of indoor tanning equipment: Time to ban the tan. *J Am Acad Dermatol*. 4 February 2011 (Article in Press DOI: 10.1016/j.jaad.2010.11.032).
- ^{xi} Harrington CR, Beswick TC, Leitenberger J, Minhajuddin A, Jacobe HT, Adinoff B. Addictive-like behaviors to ultraviolet light among frequent indoor tanners. *Clin Exp Dermatol* 2011;36:33-8.